

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>				1. CONTRACT ID CODE <b>J</b>		PAGE OF PAGES <b>1   6</b>	
2. AMENDMENT/MODIFICATION NO. <b>0002</b>		3. EFFECTIVE DATE <b>08-Apr-2004</b>		4. REQUISITION/PURCHASE REQ. NO. <b>W807PM-4048-6065</b>		5. PROJECT NO.(If applicable)	
6. ISSUED BY VBURG CONSOL CONTRACTING OFC 4155 CLAY ST VICKSBURG MS 39183-3435		CODE <b>W912EE</b>		7. ADMINISTERED BY (If other than item 6)  <b>See Item 6</b>		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				X		9A. AMENDMENT OF SOLICITATION NO. <b>W912EE-04-T-0035</b>	
				X		9B. DATED (SEE ITEM 11) <b>24-Mar-2004</b>	
						10A. MOD. OF CONTRACT/ORDER NO.	
						10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					
<b>11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS</b>							
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. <b>FAILURE OF YOUR ACKNOWLEDGMENT TO BE          RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN          REJECTION OF YOUR OFFER.</b> If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. ACCOUNTING AND APPROPRIATION DATA (If required)							
<b>13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.</b>							
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.							
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).							
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:							
D. OTHER (Specify type of modification and authority)							
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.							
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) <b>Effective with this amendment:</b>  1) Delivery schedule is extended, as attached. 2) Requirement for line item 0006 is cancelled in its entirety. 3) Revised quotation schedule is provided (see submission instructions under SOLICITATION/CONTRACT FORM on page 2).  Contracting Point of Contact: Laurie Bagby - (601)631-7901 or Laurie.A.Bagby@MVK02.usace.army.mil							
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)			
				TEL: _____ EMAIL: _____			
15B. CONTRACTOR/OFFEROR  _____ (Signature of person authorized to sign)		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA  BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED  <b>08-Apr-2004</b>	

## SECTION SF 30 BLOCK 14 CONTINUATION PAGE

**SUMMARY OF CHANGES**

## SECTION SF 1449 - CONTINUATION SHEET

**SOLICITATION/CONTRACT FORM**

The required response date/time has changed from 05-Apr-2004 02:00 PM to 19-Apr-2004 02:00 PM.

**Each offeror that provided quotation by initial due date** of 05-Apr-2004 or **any new offerors** must:

- 1) Complete attached revised bid schedule with all requested information (see additional Notes in DELIVERIES AND PERFORMANCE and SUPPLIES OR SERVICES AND PRICES, below, pertaining to consideration for award.)

**DELIVERIES AND PERFORMANCE**

Required delivery date for all items has been extended from "30 Jun 2004" to "120 days after receipt of award".

By submitting quotation, offeror verifies that this delivery schedule will be met. All offers listing delivery schedule beyond 120 days **will not** be considered for award.

**SUPPLIES OR SERVICES AND PRICES**

CLIN 0006

BY AMENDMENT 1, THIS LINE ITEM IS DELETED IN ITS ENTIRETY.

NOTE: Provide country of origin for each wire quoted. Please note that only products from those countries listed in the Trade Agreements Act on pages 29 through 32 of the original request for quotations will be considered for award.

ALSO NOTE: Any prices quoted must be firm-fixed price with any surcharges included in price. **No additional** surcharges will be paid beyond award price. All offers listing additional surcharges will not be considered for award.

(End of Summary of Changes)

**Furnish and deliver wire rope in sizes and lengths specified herein. Full specifications and Figures referenced in descriptions below can be found in Federal Specification RR-W-410E – “WIRE ROPE AND STRAND” at the following web site: <http://assist.daps.dla.mil/docimages/0003/07/85/RRW410.PD8>**

**All wire rope shall be furnished on non-returnable wooden reels. Woods used in the reels shall be pressure treated for rot resistance. Wire rope larger than one inch shall be furnished on reels which have a center hub of at least 3 1/2” but not more than 4” in diameter. The center hub of such reels shall be reinforced with metal bushings. Each reel shall show the contract number, cable size, cable length, type and construction. All wire ropes shall be furnished in the lengths specified. Quotation must be F.O.B. Destination – Vicksburg, Mississippi.**

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	WIRE ROPE - Type 1 General Purpose, Class 2, Construction 4 - 6x19 (Filler Wire) - Independent Wire Rope Center (IWRC) made with Extra Improved Steel - 7/8" DIAMETER X 1500 FEET PER REEL				
		4	Each	\$ _____	\$ _____

COUNTRY OF ORIGIN: \_\_\_\_\_

Specs below from Federal Specification RR-W-410E

3.11.25 Wire rope shall have 6 strands of not less than 21 wires and not more than 25 wires each, totaling not less than 126 nor more than 150 wires in the strands.

3.11.2.5.1 Each strand shall have 1 wire center, not less than 5 nor more than 6 inner wires and not less than 10 nor more than 12 outer wires. There shall be not less than 5 nor more than 6 wires (fillers) between the layers. Wires in the inner layer shall be 1 diameter. Wires in the outer layer shall be 1 diameter. Filler wires shall be 1 diameter. Each strand shall be fabricated in one operation.

0002	WIRE ROPE - Type 1 General Purpose, Class 2, Construction 4 - 6x19 (Filler Wire) - Independent Wire Rope Center (IWRC) made with Extra Improved Steel - 1 1/8" DIAMETER X 2000 FEET PER REEL				
		20	Each	\$ _____	\$ _____

COUNTRY OF ORIGIN: \_\_\_\_\_

NOTE: Same specification reference as line item 0001

0003 WIRE ROPE - Type 1 General Purpose, Class 2, Construction 4 - 6x19 (Filler Wire) - 3/4" DIAMETER X 2000 FEET PER REEL

6 Each \$ \_\_\_\_\_ \$ \_\_\_\_\_

COUNTRY OF ORIGIN: \_\_\_\_\_

NOTE: Same specification reference as line item 0001

0004 WIRE ROPE - Type 1 General Purpose, Class 3, Construction 4 - 6x37 (Filler Wire) - 1/2" DIAMETER X 1500 FEET PER REEL

14 Each \$ \_\_\_\_\_ \$ \_\_\_\_\_

COUNTRY OF ORIGIN: \_\_\_\_\_

Specs below from Federal Specification RR-W-410E

Section 3.11.3.5

Wire ropes shall have 1 core and 6 strands of not less than 29 nor more than 37 wires each totaling not less than 174 nor more than 222 wires in the strands.

3.11.3.5.1 Each strand shall have 1 wire center, not less than 7 nor more than 9 inner wires, and not less than 14 nor more than 18 outer wires. There shall be not less than 7 nor more than 9 filler wires between the inner and outer layers. Wires in the inner layer shall be 1 diameter. Wires in the outer layer shall be 1 diameter. Filler wires shall be 1 diameter. Each strand shall be fabricated in one operation.

0005 WIRE ROPE - Type 1 General Purpose, Class 4, Construction 5 - 8x19 (Warrington-Seale) - 1" DIAMETER X 1500 FEET PER REEL

12 Each \$ \_\_\_\_\_ \$ \_\_\_\_\_

COUNTRY OF ORIGIN: \_\_\_\_\_

Specs below from Federal Specification RR-W-410E

3.11.4.6 Wire ropes shall have 1 core and 8 strands of 26 wires each totaling 208 wires in the strands. Extra Improved Plow Steel, FIBER CORE

3.11.4.6.1 Each strand shall be in accordance with 3.11.2.6.1 (see below).

3.11.2.6.1 Each strand shall have 1 center wire, 5 inner wires, 10 intermediate wires and 10 outer wires. Wires in the inner layer shall be of one diameter. Wires in the intermediate layer shall be of two diameters of wire laid alternately. Wires in the outer layer shall be of one diameter. Each strand shall be fabricated in one operation.

0006 ~~WIRE ROPE - Type IV Miscellaneous, Class 1, 5X19 marlin clad, Construction 2 (Warrington) - 1 1/8" DIAMETER X 1500 FEET PER REEL~~

~~\_\_\_\_\_ 6 \_\_\_\_\_ Each \$ \_\_\_\_\_ \$ \_\_\_\_\_~~

~~Specs below from Federal Specification RR-W-410E~~

~~3.14.2.2 Wire rope shall have 1 core and 5 strands of 19 wires each, totaling 95 wires in the strands.~~

~~3.14.2.2.1 Each strand shall be in accordance with 3.11.2.3.1 (see below). Each strand shall be served with marlin wound tightly on the strand so that it is firm, durable, uniformly smooth, and free from imperfections.~~

~~3.11.2.3.1 Each strand shall have one center wire, 6 inner wires and 12 outer wires. Wires in the inner layer shall be of one diameter. Wires in the other layer shall be of two diameters of wire laid alternately. Each strand shall be fabricated in one operation.~~

0007 WIRE ROPE - Type IV Miscellaneous, Class 3, FLATTENED STRAND, Construction 2 - 6X30 STYLE G - 1 3/8" DIAMETER X 420 FEET PER REEL

THESE 5 REELS SHALL HAVE A CLOSED SWAGED SOCKET WOUND ON THE INSIDE END OF EACH REEL, RATHER THAN THE OUTSIDE.

5 Each \$ \_\_\_\_\_ \$ \_\_\_\_\_

COUNTRY OF ORIGIN: \_\_\_\_\_

Specs below from Federal Specification RR-W-410E

3.14.4.3 Wire rope shall have 1 core and 6 strands of 1 triangular shaped center of 6 wires, and 24 wires each, totaling 180 wires in the strands.

3.14.4.3.1 Each strand shall have 1 triangular shaped center, 12 wires in the inner layer and 12 wires in the outer layer. Each triangular-shaped center shall have 6 round wires. Each pair of the wires shall be twisted together, then the 3 pairs twisted together so that the cross-section of the center is triangular. There may be filler wires in the center. Wires in the inner layer shall be 1 diameter. Wires in the center layer shall be 1 diameter. Wires in the outer layer shall be 1 diameter. Each strand shall be fabricated in either two or three operations. RIGHT LANG LAY, IWRC

**MUST PROVIDE DATA BELOW WITH QUOTATION:**

**(Check if applies:)**

\_\_\_\_\_ **Information remains unchanged from original quotation.**

Contractor Point of Contact: \_\_\_\_\_

Point of Contact Phone Number: \_\_\_\_\_

Point of Contact Fax Number: \_\_\_\_\_

Point of Contact E-mail Address: \_\_\_\_\_

Contractor DUNS #: \_\_\_\_\_

Contractor CAGE Code: \_\_\_\_\_

Quotation valid for \_\_\_\_\_ days.

Payment Terms: \_\_\_\_\_

Do you accept U. S. Government Purchase Card (VISA) ? \_\_\_\_Yes \_\_\_\_No

If yes and received this award, would you prefer payment by VISA? \_\_\_\_Yes \_\_\_\_No

**BY SUBMISSION OF THIS QUOTE – VERIFICATION IS MADE THAT THE DELIVERY SCHEDULE OF 120 DAYS AFTER RECEIPT OF AWARD WOULD BE MET.**

(End of Revised Quotation Schedule – Amendment 0002)